

**UNITED STATES DISTRICT COURT
DISTRICT OF ARIZONA**

IN RE: BARD IVC FILTERS
PRODUCTS LIABILITY LITIGATION

MDL Case No. 2:15-md-02641-DGC
MDL No. 2641

THIS DOCUMENT RELATES TO:

Kevin Sanchez

Case No. 2:17-cv-1889

NOTICE OF ERRATA OF SHORT FORM COMPLAINT

TO: CLERK OF COURT AND ALL OTHER PARTIES:

Please take notice that because of a typographical error the product identification (Question 10) on the SHORT FORM COMPLAINT was incorrectly marked Other. The correct product identification is Recovery® Vena Cava Filter. Plaintiffs submit as Exhibit 1 the Corrected SHORT FORM COMPLAINT, correcting the typographical error by changing the product identification from Other to Recovery® Vena Cava Filter.

Dated: September 14, 2018

Respectfully submitted,

BERTRAM & GRAF, L.L.C.

/s/ Benjamin A. Bertram

Benjamin A. Bertram, MO #56945

2345 Grand Blvd., Suite 1925

Kansas City, MO 64108

Telephone: 816-523-2205

Fax: 816-523-8258

benbertram@bertramgraf.com

Attorneys for Plaintiff

CERTIFICATE OF SERVICE

I hereby certify that on September 14, 2018, I electronically filed the foregoing document with the Clerk of the Court using the CMF/ECF system which will send notification of such filing to the CM/ECF participants registered to receive service in this MDL.

/s/ Benjamin A. Bertram

Benjamin A. Bertram